



White


Aerodynamic blades
for faster speed



Can also be mounted
on glass panel



Powerful air suction for
odourless and clean air



Light and rust proof
body for durability



AXIAL AIR

- Sturdy front grill for additional safety
- 100 and 150mm available in White, Black, Brown & Ivory colour
- 200mm available in White colour

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
100	12 W	2400	140
150	20 W	1750	275
NEW 200	33 W	1585	700

NEW



White



BRISK AIR CM

- Modern Aesthetics
- Automatic louvers
- A ceiling-mount exhaust fan designed with modern aesthetics.
- Suitable to be mounted on false ceilings to elevate your décor.

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
110	28 W	1400	75




White


Aerodynamic blades
for faster speed



Powerful air suction for
odourless and clean air



Automatic dust protection
shutters for hassle-free hygiene



Light and rust proof
body for durability



VENTILUS

- Automatic Shutter for dust protection.
- Also available in Ivory
- 250mm available only in White


Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
150	25 W	1300	275
200	30 W	1300	450
250	35 W	1300	900



White

BRISK AIR NEO

- Sleek design with aerodynamic blades
- Back flaps for prevention of entry of dust and foreign particles.




Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
150	25 W	1350	280
200	27 W	1350	500
250	27 W	1310	800



White

BRISK AIR PLUS

- Sleek design with aerodynamic blades
- Back flaps for prevention of entry of dust and foreign particles.
- 150 and 200mm available in White, Black, Brown & Ivory colour
- 250mm available in White colour



Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
150	25 W	1300	275
200	30 W	1300	450
NEW 250	35 W	1300	950



Grey

FLUX AIR

- Sturdy metal body with metal blade. It also comes with corrosion resistant coating on blade & body
- Bird screen for protection from birds and foreign matter

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
225	31 W	1380	800



White

Color Range



Wood

Can also be mounted on glass panel



DOMESTIC EXHAUST

NEW MOUNT AIR

- Lightweight and sleek design with ABS body
- Silent operation and superior air flow
- Can be installed on Glass, Wall and Ceiling
- Available in White, Black, Wood, Ivory and Steel colors

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
100	11 W	2500	120
150	20 W	1500	200



Grey

TRANSAIR / TRANSAIR REVERSIBLE

- With the flick of a switch one can opt for exhaust mode or fresh air mode in Transair Reversible
- Metal bird screen for protection from birds and foreign matter
- Reversible type available in 225mm & 300mm size only

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
150	50 W	2000	320
225	45 W	1400	720
300	70 W	1380	1600



Grey

DRIFT AIR PLUS



- Sturdy Metal body with Metal blades
- Metal bird screen for protection from birds and foreign matter
- * New variant available with anti-dust coating

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
150	42 W	2300	400
225	35 W	1370	800
300	48 W	1370	1160



HEAVY DUTY EXHAUST FANS

- Totally enclosed, continuously rated highly efficient heavy-duty motor
- Aerodynamically contoured blades provide maximum air with minimum power consumption
- Rigid frame with rubber mountings for silent operations
- Anti-corrosive blade & body
- Degree of protection : IP55 rated

SPECIFICATIONS

Model Name	Impeller Diameter (mm)	Phase	Pole	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)	Current (AMP)	Noise Level (dBA)
EXHD300-4-1 (ISI)*	300	Single	4 Pole	90 W	1400	1710	0.43	56
EXHD300-6-1 (ISI)	300	Single	6 Pole	55 W	950	1145	0.26	54
EXHD380-4-1 (ISI)	380	Single	4 Pole	150 W	1400	3250	0.72	63
EXHD380-4-3	380	Three	4 Pole	150 W	1400	3250	0.30	63
EXHD380-6-1 (ISI)	380	Single	6 Pole	100 W	950	2000	0.48	56
EXHD450-4-1 (ISI)*	450	Single	4 Pole	350 W	1400	6120	1.65	65
EXHD450-4-3	450	Three	4 Pole	410 W	1400	6120	0.94	65
EXHD450-6-1	450	Single	6 Pole	145 W	950	3900	0.70	63
EXHD600-6-1	600	Single	6 Pole	550 W	950	9400	2.65	65
EXHD600-6-3	600	Three	6 Pole	550 W	950	9400	1.27	65
EXHD900-8-3	900	Three	8 Pole	1200 W	700	25200	2.60	68

* Also available in IP65 rating for Industries like Ceramic, Spice, Cement etc.