



Street lighting



WANDERER

WANDERER is a Perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection. IP66 Efficacy $\geq$ 110LPW

CAT. REF.	CASE LOT	MRP (₹)
TRP-415-20-57-SL-LM-NBK	12	2600
TRP-415-25-57-SL-LM-NBK	12	2800
TRP-415-30-57-SL-LM-NBK	12	3200
TRP-415-25-30-SL-LM-NBK	12	On Request
TRP-415-30-30-SL-LM-NBK	12	On Request



WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy $\geq$ 110LPW

CAT. REF.	CASE LOT	MRP (₹)
CRP-420-25-57-SL-LM-NSG	12	On Request
CRP-420-30-57-SL-LM-NSG	12	On Request
CRP-420-25-30-SL-LM-NSG	12	On Request
CRP-420-30-30-SL-LM-NSG	12	On Request



TURBO

TURBO street lights are made up of pressure die cast housing with integrated lenses and high power LED's with IP66 protection. Efficacy $\geq$ 100LPW

CAT. REF.	CASE LOT	MRP (₹)
TRP-400-20-57-SL-LM-NSR	12	2800
TRP-400-25-57-SL-LM-NSR	12	3000
TRP-400-30-57-SL-LM-NSR	12	3400
TRP-400-35-57-SL-LM-NSR	12	4000



ASTRA NEO

ASTRA NEO street lights are made up of pressure die cast housing with toughened glass and high power LEDs with secondary optics and IP66 protection. Efficacy ≥ 110LPW

CAT. REF.	CASE LOT	MRP (₹)
LSTS-20-CDL-M	12	3000
LSTS-20-CDL/NL-M	12	2900
LSTS-25-CDL-M	12	3200
LSTS-25-CDL/NL-M	12	3100
LSTS-30-CDL-M	12	3500
LSTS-30-CDL/NL-M	12	3400



WANDERER PLUS

WANDERER PLUS is a Perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection. IP66 Efficacy ≥ 110 LPW

CAT. REF.	CASE LOT	MRP (₹)
TRP-417-45-57-SL-LM-NBK	12	5800
TRP-417-45-30-SL-LM-NBK	12	On Request



WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy ≥ 110LPW

CAT. REF.	CASE LOT	MRP (₹)
CRP-417-45-57-SL-LM-NSG	12	6200
CRP-417-45-30-SL-LM-NSG	12	On Request
CRP-417-45-30-SL-NS-LM-NSG	12	On Request



FREEDOM NEO

FREEDOM NEO street lights are made up of pressure die cast housing with toughened glass and high power LED's with secondary optics and IP66 protection. (Optional 10KV SPD). Efficacy ≥ 110LPW

CAT. REF.	CASE LOT	MRP (₹)
CRP-423-45-57-SL-GL-NSG	6	6200
CRP-423-45-30-SL-GL-NSG	6	6400



Crompton

WANDERER PLUS

WANDERER PLUS is a Perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection. IP 66 and Efficacy ≥ 120 LPW, 10KV SPD

CAT. REF.	CASE LOT	MRP (₹)
TRP-421-60-57-SL-LM-NBK	6	6200
TRP-421-60-30-SL-LM-NBK	6	On Request
TRP-421-70-57-SL-LM-NBK	6	8800
TRP-421-70-30-SL-LM-NBK	6	On Request



WANDERER PRO

WANDERER PRO is a Perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection. IP 66 and Efficacy ≥ 120 LPW, 10KV SPD

CAT. REF.	CASE LOT	MRP (₹)
CRP-421-60-57-SL-LM-NSG	6	On Request
CRP-421-70-57-SL-LM-NSG	6	On Request



WANDERER PLUS

WANDERER PLUS is a Perfect for lighting up gated communities, municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection. IP 66 and Efficacy ≥ 120 LPW, 10KV SPD

CAT. REF.	CASE LOT	MRP (₹)
TRP-425-90-57-HL2-LM-NBK	4	9050
TRP-426-120-57-HL2-LM-NBK	4	1250
TRP-425-90-30-HL2-LM-NBK	4	On Request
TRP-426-120-30-HL2-LM-NBK	4	On Request



WANDERER PRO

WANDERER PRO is a Perfect for lighting up gated communities, municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection. IP 66 and Efficacy ≥ 120 LPW, 10KV SPD

CAT. REF.	CASE LOT	MRP (₹)
CRP-425-90-57-HL2-LM-NSG	4	On Request
CRP-426-120-57-HL2-LM-NSG	4	On Request



VEGA

VEGA LED street light is an ideal product for gated communities, and municipal roads. It uses a unique heat design to keep the product air cooled, an efficient integrated IP lens ensures proper light distribution with IP66 protection. The light also has an inbuilt surge protection with 10KV SPD included, Efficacy ≥ 110LPW

CAT. REF.	CASE LOT	MRP (₹)
TRP-412-90-57-SL-GL-NSG	4	9200
TRP-412-90-30-SL-GL-NSG	4	9800
CRP-412-90-57-SL-GL-NSG	4	9800



RAPTOR NEO

RAPTOR NEO street lights are aerodynamically designed for all weather conditions with excellent thermal management, made with pressure die cast housing with toughened glass and high power LED's with secondary optics and IP66 protection. Efficacy > 130/120 LPW, available with 10KV SPD

CAT. REF.	CASE LOT	MRP (₹)
TRP-409-45-57-SL-GL-NSG	6	6200
TRP-409-60-57-SL-GL-NSG	6	6900
TRP-409-70-57-SL-GL-NSG	6	7800
TRP-411-90-57-SL-GL-NSG	4	9800
TRP-411-100-57-SL-GL-NSG	4	10800
TRP-411-120-57-SL-GL-NSG	4	13500
TRP-409-60-30-SL-GL-NSG	6	7200
TRP-409-70-30-SL-GL-NSG	6	7900
TRP-411-90-30-SL-GL-NSG	4	10200
TRP-411-120-30-SL-GL-NSG	4	14000
TRP-409-45-57-HL2-GL-NSG	6	8600
TRP-409-60-57-HL2-GL-NSG	6	7800
TRP-409-70-57-HL2-GL-NSG	6	8600
TRP-411-90-57-HL2-GL-NSG	4	10500
TRP-411-100-57-HL2-GL-NSG	4	11500
TRP-411-120-57-HL2-GL-NSG	4	14000



Crompton

RAPTOR PRO

Street lights are aerodynamically designed for all weather conditions with excellent thermal management, made up of pressure die cast housing with toughened glass and high power LED's with secondary optics and IP66 protection. 10 KV SPD included, Efficacy ≥110/120 LPW

CAT. REF.	CASE LOT	MRP (₹)
CRP-409-45-57-SL-GL-NSG	6	6600
CRP-409-60-57-SL-GL-NSG	6	7800
CRP-409-70-57-SL-GL-NSG	6	8000
CRP-411-90-57-SL-GL-NSG	4	10500
CRP-411-100-57-SL-GL-NSG	4	12000
CRP-411-120-57-SL-GL-NSG	4	14000
CRP-409-60-30-SL-GL-NSG	6	7400
CRP-409-70-30-SL-GL-NSG	6	8200
CRP-411-90-30-SL-GL-NSG	4	10400
CRP-411-120-30-SL-GL-NSG	4	14500
CRP-409-45-57-HL2-GL-NSG	6	6800
CRP-409-60-57-HL2-GL-NSG	6	8000
CRP-409-70-57-HL2-GL-NSG	6	8800
CRP-411-90-57-HL2-GL-NSG	4	11000
CRP-411-100-57-HL2-GL-NSG	4	12500
CRP-411-120-57-HL2-GL-NSG	4	15000



NEXUS STAR NEO

Street lights are aerodynamically designed for all weather conditions with excellent thermal management, made up of pressure die cast housing with toughened glass/ integrated lens and high power LED's with secondary optics and IP66 protection. 10 KV SPD included, Efficacy ≥110/120 LPW

CAT. REF.	CASE LOT	MRP (₹)
TRP-424-150-57-HL2-LM-NSG	2	17500
TRP-424-150-57-SL-GL-NSG	2	16500
CRP-424-150-57-HL2-LM-NSG	2	18500
CRP-424-150-57-SL-GL-NSG	2	17500



FALCON PRO I

FALCON PRO I street lights are aerodynamically designed with built-in tilting arrangement and excellent thermal management, made from pressure die cast housing with toughened glass, high power LED's with secondary optics, IP66 protection. 10KV SPD included, Efficacy ≥ 110/125/135LPW

CAT. REF.	CASE LOT	MRP (₹)
CRP-411-150-57-SL-GL-NSG	1	18500
CRP-411-150-57-HL2-GL-HR-NGG	1	23500
CRP-411-150-57-HL3-GL-HR-NGG	1	24500
CRP-413-180-57-HL2-GL-HR-NGG	1	29500
CRP-413-180-57-HL3-GL-HR-NGG	1	32000



FALCON PRO II

FALCON PRO II street lights are aerodynamically designed with built-in tilting arrangement and excellent thermal management, made from pressure die cast housing with toughened glass, high power LED's with secondary optics, IP66 protection. 10KV SPD Included, Efficacy $\geq 125/135$ LPW

CAT. REF.	CASE LOT	MRP (₹)
CRP-410-200-57-HL2-GL-HR-NGG	1	32000
CRP-410-200-57-HL3-GL-HR-NGG	1	34000
CRP-410-220-57-HL2-GL-HR-NGG	1	34000
CRP-410-220-57-HL3-GL-HR-NGG	1	36000
CRP-410-250-57-HL2-GL-HR-NGG	1	39000
CRP-410-250-57-HL3-GL-HR-NGG	1	42000



NEXUS PRO

NEXUS PRO LED streetlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. 10KV SPD included. Efficacy $\geq 110/120$ LPW

CAT. REF.	CASE LOT	MRP (₹)
CRP-414-180-57-SL-GL-NSG	1	22000
CRP-414-180-57-HL2-GL-NSG	1	23000
CRP-414-200-57-SL-GL-NSG	1	25000
CRP-414-200-57-HL2-GL-NSG	1	26000
CRP-414-220-57-SL-GL-NSG	1	27000
CRP-414-220-57-HL2-GL-NSG	1	28000



APLOMADA PRO

APLOMADO PRO is a high wattage street light meant for Highway & city roads, aerodynamically designed with excellent thermal management and superior secondary optics for better cost of ownership. IP66 protection, 10KV SPD, Efficacy $> 125/135/140$

CAT. REF.	CASE LOT	MRP (₹)
CRP-418-180-57-HL2-GL-HR-NSR	1	28500
CRP-418-180-57-HL3-GL-HR-NSR	1	30000
CRP-418-200-57-HL2-GL-HR-NSR	1	31000
CRP-418-200-57-HL3-GL-HR-NSR	1	32500
CRP-416-220-57-HL2-GL-HR-NSR	1	33000
CRP-416-220-57-HL3-GL-HR-NSR	1	34500
CRP-416-250-57-HL2-GL-HR-NSR	1	37500
CRP-416-250-57-SL-GL-NSG	1	32500
CRP-416-250-57-HL2-GL-NSG	1	34500
CRP-416-250-57-HL3-GL-HR-NSR	1	41000
CRP-416-250-57-HL4-GL-HR-NSR	1	44000
CRP-416-270-57-HL4-GL-HR-NSR	1	46000
CRP-416-250-57-HL5-LM-NSR	1	On Request
CRP-416-300-57-HL5-LM-NSR	1	On Request

